# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

SHACKLEE, Franky Lee

Serial No.:

09/900,808

Filed:

July 6, 2001

Group No.:

3727

Examiner:

S. J. Castellano

Title:

AMMUNITION SHIPPING AND STORAGE

**CONTAINER AND METHOD** 

Assistant Commissioner for Patents BOARD OF PATENT APPEALS AND INTERFERENCES Washington, D.C. 20231 RECEIVED

NUV - 1 2002

TECHNOLOGY CENTER HE700

Sir:

# CERTIFICATE OF MAILING BY EXPRESS MAIL

I hereby certify that the attached Appeal Brief (in triplicate) and check in the amount of \$320.00, are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on this 25th day of October, 2002 and addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231-9999.

Willie Jiles

Express Mail Receipt No. EV 193170753 US Attorney's Docket: 0004578.1132 ATTORNEY DOCKET NO. 004578.1132

PATENT APPLICATION 09/900,808

1



### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

SHACKLEE, Franky Lee

Serial No .:

09/900.808

Filed:

July 6, 2001

Group No.:

3727

Examiner:

S. J. Castellano

Title:

AMMUNITION SHIPPING AND STORAGE

CONTAINER AND METHOD

Assistant Commissioner
for Patents

BOARD OF PATENT APPEALS
AND INTERFERENCES

Washington, D.C. 20231

RECEIVED

NOV - 1 2002

ECHNOLOGY OF

WANT PRESENT

Sir:

### APPEAL BRIEF

A timely Notice of Appeal was filed on August 28, 2002, in order to initiate an appeal from the action of the Primary Examiner in finally rejecting Claims 24-26, and 28-37 in the Office Action mailed July 11, 2002. This Appeal Brief is being filed pursuant to the provisions of 37 C.F.R. §1.192. A separate transmittal letter serves to transmit this Appeal Brief in triplicate, and serves to transmit a check in the amount of \$320.00 (Fee Code 120) under 37 C.F.R. §§1.192(a) and 1.17(c) to cover the large entity fee for filing this Appeal Brief.

### **REAL PARTY IN INTEREST**

The present application is a Continuation of a parent application (U.S. Serial No. 09/224,218 filed December 30, 1998, issued as U.S. Patent 6,290,087B1 on September 18, 2001). The assignee of record of the present application is Raytheon Company, by virtue of:

11/26/2002 EBERBRY 00000005 09900808

01 FC:1402

320.00 OP

an Assignment recorded in the assignment records of the U.S. Patent and 1. Trademark Office on February 22, 1999 at Reel 9806, Frame 0248, which transferred the parent application (and any continuing applications) from the inventors to Raytheon Company.

# RELATED APPEALS AND INTERFERENCES

Applicants believe that there are no known appeals or interferences which will directly affect or be directly affected by or have a bearing on the Board's decision in this pending appeal. However, an appeal is being filed approximately concurrently herewith regarding U.S. Serial No. 09/900,209 ("the '209 Application"). The '209 Application and the present application claim priority to the same parent application (U.S. Patent No. 6,290,087).

### STATUS OF CLAIMS

Claims 24-26, and 28-37 stand finally rejected, pursuant to an Office Action mailed July 11, 2002. Claim 27 stands objected to by the Examiner as being dependent upon a rejected base claim, but is acknowledged by the Examiner to contain allowable subject matter. Applicant respectfully requests that the objection of Claim 27 be held in abeyance pending the outcome of this Appeal. Claims 24-26, and 28-37 are all presented for appeal.

### **STATUS OF AMENDMENTS**

Appellant filed no amendments after the Final Office Action mailed July 11, 2002.

### **SUMMARY OF INVENTION**

A container includes a storage vessel coupled with a removable end cap at one end. See page 7, lines 2-17; FIGURES 1-3, and 9. A first flange extends from the exterior surface of the vessel and a second flange extends from the exterior surface of the end cap. See page 8, lines 12-24; FIGURES 2-3. A stacking lug having a cylindrical opening is operable to receive the storage vessel therein, and provides for the stacking of multiple containers upon one another. See page 12, line 20 through page 13, line 33; FIGURES 6-8, and 10. Backing rings may be provided adjacent the first flange and/or the second flange, in order to reinforce the coupling formed between the first flange and the second flange. See page 9, lines 14-25; FIGURES 2-4.

# **ISSUES**

- 1. Whether, under 35 U.S.C. § 102(b), Claims 24, and 30-37 are unpatentable over U.S. Patent No. 4,785,930, to Fischer, et al. ("Fischer").
- 2. Whether, under 35 U.S.C. § 103(a), Claims 25 and 26 are unpatentable over *Fischer*, in view of U.S. Patent No. 3,599,826 to Rocher ("*Rocher*").
- 3. Whether, under 35 U.S.C. § 103(a), Claim 28 is unpatentable over *Fischer*, in view of U.S. Patent No. 4,733,773 to LaBianca, et al. ("*LaBianca*").
- 4. Whether, under 35 U.S.C. § 103(a), Claim 29 is unpatentable over *Fischer* in view of *LaBianca* and U.S. Patent No. 4,660,733 to Snyder, et al. ("*Snyder*").

# **GROUPING OF CLAIMS**

Appellants hereby request that Claims 24-26, and 28-37 not be grouped to stand or fall together. Instead, with respect to the issues identified in the immediately preceding Section of this Appeal Brief, pursuant to 37 C.F.R. § 1.92(c)(7), Appellants request that the following claims be grouped together for purposes of this Appeal. Appellants have provided an explanation of why such groups are separately patentable in the Argument section below.

- 1. Group 1: Claims 24 and 28-37 may be deemed to stand or fall together for purposes of this Appeal.
- 2. Group 2: Claims 25 and 26 may be deemed to stand or fall together for purposes of this Appeal.

ATTORNEY DOCKET NO. 004578.1132

4

# **ARGUMENT**

1. Claims 24 and 30-37 are patentable over Fischer, under 35 U.S.C. § 102(b).

Under 35 U.S.C. § 102, "[a] claim is anticipated only if each and every element as set forth in the claim is found, either expressly or inherently described, in a single prior art reference." *Verdegaal Bros. v. Union Oil Co. of California*, 2 U.S.P.Q.2d 1051, 1053 (Fed. Cir. 1987); MPEP 2131. In addition, "[t]he identical invention must be shown in as complete detail as is contained in the . . . claims" and "[t]he elements must be arranged as required by the claim." *Richardson v. Suzuki Motor Co.*, 9 U.S.P.Q.2d 1913, 1920 (Fed. Cir. 1989); In re Bond, 15 U.S.P.Q.2d 1566 (Fed. Cir. 1990); MPEP 2131 (emphasis added). "Distilling an invention down to the 'gist' or 'thrust' of an invention disregards the requirement of analyzing the subject matter 'as a whole'." *W.L. Gore & Associates, Inc. v. Garlock, Inc.*, 220 U.S.P.Q. 303 (Fed. Cir. 1983, *cert. denied*, 469 U.S. 851 (1984); MPEP 2141.02.

Independent Claim 24 is patentable over *Fischer*, because *Fischer* does not disclose, teach, or suggest each element of the claim. Claim 24 includes a storage vessel having "a first flange extending from an outer surface of the storage vessel, the first flange being sized to cooperate with a corresponding second flange extending from an exterior surface of the end cap." *Fischer* does not disclose, teach, or suggest each of these limitations.

In the final Office Action mailed July 11, 2002 ("Office Action"), the Examiner contends that "Fischer discloses . . . a first flange (the portion of the part containing the stacking surfaces 3 and 4 which has a planar surface which extends parallel to the plane of the access opening . . .) extending from an outer surface of the storage vessel." The Examiner contends further that the first flange is "sized to cooperate with a corresponding second flange (the portion of anchor plate) (16), which has a planar surface and extends parallel to the open end of the end cap (6) and has hooks (19) thereon) extending from an exterior surface of the end cap . . . " However, Applicants respectfully contend that Fisher does not disclose a flange, nor does it disclose a flange being sized to cooperate with a corresponding second flange.

PATENT APPLICATION 09/900.808

# ATTORNEY DOCKET NO. 004578.1132

5

As an initial matter, the Examiner misinterprets the term "flange" as it is used in Claim 24. Words in a claim are generally given their ordinary and customary meaning. *Vitronics Corp. v. Conceptronic, Inc.*, 90 F.3d 1576, 1582 (Fed. Cir. 1996). Moreover, a dictionary is not prohibit extrinsic evidence, and is an available resource for claim construction. *Vanguard Product Corp. v. Parker Hannifin Corp.*, 234 F.3d 1370, 1372 (Fed. Cir. 2000). The ordinary meaning of "flange", as defined in The American Heritage College Dictionary (3rd Ed., page 517), is "a protruding rim, edge, rib or collar, as on a pipe shaft, used to strengthen an object, hold it in place, or attach it to another object." This definition is entirely consistent with Applicant's use of the term "flange" in Claim 24, and in the specification. For example, flanges 44 and 52 of FIGURE 2 and 3 protrude from hollow tube 32 and removable end cap 36, respectively, and are used to attach hollow tube 32 and end cap 36, using a lever clamp assembly.

Fischer, does not disclose, teach or suggest a flange extending from an outer surface of a storage vessel. The surfaces referred to by the Examiner are not "flanges" as those terms are understood by those of ordinary skill in the art, and do not qualify under any dictionary definition for flange. Any part which simply "extends parallel to the plane of" an object is not necessarily a "flange" as that term is known to one of ordinary skill in the relevant art.

Claim 24 defines a first flange extending from an outer surface of the storage vessel, the first flange being sized to cooperate with a corresponding second flange extending from an exterior surface of the end cap. *Fischer* does not disclose, teach or suggest each of these limitations. For at least the reasons discussed above, Claim 24 is patentably distinguishable from *Fischer*.

Claims 30-37 depend from independent Claim 24. Therefore, Applicant respectfully contends that Claims 30-37 are patentably distinguishable from *Fischer*, for example, for the same reasons discussed above with regard to Claim 24.

Attached is a copy of the cover, copyright information, and page 517 of The American Heritage Dictionary.

# 2. Claims 25 and 26 are patentable over Fischer, in view of Rocher.

In order to establish a *prima facie* case of obviousness of a claimed invention, all claim limitations must be taught or suggested by the prior art. *In re Royka*, 490 F.2d 981 (CCPA 1974). As discussed above, *Fischer* does not disclose, teach, or suggest a flange extending from an outer surface of the storage vessel, the flange being sized to cooperate with a corresponding second flange extending from an exterior surface of an end cap, as required by Claim 24.

Furthermore, Claim 25 includes the limitation "a first backing ring having an opening configured to receive the storage vessel therethrough, the backing ring contacting a side of the first flange opposite the access opening, and being operable to provide support to the first flange." Neither Fischer nor Rocher, alone or in combination, disclose, teach, or suggest each of these limitations. The Examiner contends that "Rocher teaches backing ring (19) which backs the first flange (profiled ring 12) on the storage vessel (11) and also backs the second flange (that part which incorporates incline face (22), sealing rib (26) and everything that extends outwardly of these two elements including an annular edge part (23), and hook part (24), but not including the backing ring (19)), on the end cap (16)." However, Rocher does not disclose a first flange, nor a second flange. Profiled ring 12 of Figures 1-3 of Rocher is not a flange, as that term is understood by those of ordinary skill in the relevant art, nor does profiled ring 12 qualify as a flange under any dictionary definition. Moreover, "that part which incorporates inclined face (22), sealing rib (26), and everything that extends outwardly of these two elements including annular edge part (23) and hooked part (24), but not including the backing ring (19)), on the end cap (16)," does not qualify as a flange according to the dictionary definition or as the term flange is understood by those of ordinary skill in the relevant art. Furthermore, backing ring (19) does not provide support to either of these components, as required by Claim 25.

Claim 26 includes all of the limitations of Claim 24, and further includes "a first backing ring having an opening configured to receive the end cap therethrough, the first backing ring contacting a side of the second flange opposite the storage vessel and being operable to provide support to the first flange." As described above with regard to Claim 25,

Rocher does not disclose a first flange, a second flange, nor a backing ring contacting a side of the second flange opposite the storage vessel, and being operable to provide support of the first flange. For at least the reasons discussed above, Applicant respectfully contends that Claims 25 and 26 are patentably distinguishable from Fischer in view of Rocher.

# 3. Claim 28 is patentable over Fischer, in view of LaBianca.

In order to establish a *prima facie* case of obviousness of a claimed invention, all claim limitations must be taught or suggested by the prior art. In re Royka, 490 F.2d 981 (CCPA 1974). As discussed above, Fischer does not disclose, teach, or suggest a flange or second flange, as required by Claim 28, which incorporates all of the limitations of Claim 24. Nor does LaBianca. Therefore, Applicant respectfully contends that Claim 28 is patentably distinguishable from Fischer in view of LaBianca, for example, for the same reasons discussed above with regard to Claim 24.

# 4. Claim 29 is patentable over Fischer, in view of LaBianca and Snyder.

In order to establish a *prima facie* case of obviousness of a claimed invention, all claim limitations must be taught or suggested by the prior art. In re Royka, 490 F.2d 981 (CCPA 1974). As discussed above, Fischer does not disclose, teach, or suggest a first flange, or a second flange. Applicant respectfully contends that LaBianca and Snyder also fail to disclose a first flange or a second flange. Since Claim 29 depends from Claim 24, Applicant contends that Claim 29 is patentably distinguishable from Fischer in view of LaBianca and Snyder, for example for the same reasons discussed above with regard to Claim 24.

# **CONCLUSION**

For the reasons given in the foregoing discussion, it is respectfully submitted that the rejection of each of Claims 24-26 and 28-37 is erroneous, and reversal of the rejection of each of these claims is respectfully requested.

Respectfully submitted, BAKER BOTTS L.L.P.

Attorneys for Applicant

Luke K. Pedersen Reg. No. 45,003

BAKER BOTTS, L.L.P. 2001 Ross Avenue Suite 600 Dallas, TX 75201-2980 (214) 953.6655

Date: October 25, 2002

# Enclosure:

Appendix A – Claims on Appeal Cover page, copyright page, and page 517 of <u>The American Heritage Dictionary</u> Check in the amount of \$320.00

# APPENDIX A – CLAIMS ON APPEAL

- 24. A container, comprising:
- a storage vessel with an interior compartment, and an access opening at one end;
- a removable end cap releasably and mechanically coupled to the storage vessel and operable to close the access opening;
- a first flange extending from an outer surface of the storage vessel, the first flange being sized to cooperate with a corresponding second flange extending from an exterior surface of the end cap; and
- a generally rectangular first stacking lug having a generally cylindrical, tubular interior diameter operable to receive the storage vessel therein.
- The container of Claim 24, further comprising a first backing ring having 25. an opening configured to receive the storage vessel therethrough, the backing ring contacting a side of the first flange opposite the access opening and being operable to provide support to the first flange.
- The container of Claim 24, further comprising a first backing ring having 26. an opening configured to receive the end cap therethrough, the first backing ring contacting a side of the second flange opposite the storage vessel and being operable to provide support to the first flange.
- (Not Presented for Appeal) The container of Claim 25, further 27. comprising a second backing ring having an opening configured to receive the end cap therethrough, the second backing ring contacting a side of the second flange opposite the storage vessel and being operable to provide support to the first flange.
- The container of Claim 24, wherein the storage vessel is formed from 28. extruded, high-density polyethylene.
- 29. The container of Claim 24, wherein the stacking lug is formed from rotationally molded, cross-linked, high density polyethylene.

- The container of Claim 24, further comprising a manual pressure relief 30. valve operable to create a path of fluid communication between the interior compartment and ambient environment.
  - The container of Claim 24, wherein the first stacking lug comprises: 31.
- a housing with an opening disposed therethrough, the housing having a first face and a second face opposite the first face; and
  - a first protrusion on the first face of the housing.
- The container of Claim 31, further comprising a cavity on the second face 32. adapted to receive a second protrusion of similar size and configuration as the first protrusion, to form a releasable nested fit between the second protrusion and the cavity.
- The container of Claim 31, wherein the first face is adapted to cooperate 33. with a third face of a separate component of similar size and configuration as the container, such that force from the weight of the separate component is transferred from the third face to the first face when the component is stacked upon the container.
- The container of Claim 24, wherein the storage vessel and removable end 34. cap are operable to form a pressure vessel.
- The container of Claim 24, wherein the interior compartment is adapted to 35. receive a round of ammunition therein.
- The container of Claim 24, further comprising a lever clamp assembly 36. being operable to couple the end cap and the storage vessel.
- The container of Claim 24 wherein the stacking lug is permanently affixed 37. to the storage vessel.

THE

# AMERICAN HERITAGE COLLEGE dic-tion-ar-y

NEWEST definitions — over 200,000

MOST photographs and illustrations — over 2,500

BEST usage guidance — over 400 notes



THIRD EDITION

Words are included in this Dictionary on the basis of their usage. Words that are known to have current trademark registrations are shown with an initial capital and are also identified as trademarks. No investigation has been made of common-law trademark rights in any word, because such investigation is impracticable. The inclusion of any word in this Dictionary is not, however, an expression of the Publisher's opinion as to whether or not it is subject to proprietary rights. Indeed, no definition in this Dictionary is to be regarded as affecting the validity of any trademark.

American Heritage<sup>®</sup> and the eagle logo are registered trademarks of Forbes Inc. Their use is pursuant to a license agreement with Forbes Inc.

Copyright © 1997, 1993 by Houghton Mifflin Company. All rights reserved.

No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, or by any information storage or retrieval system without the prior written permission of Houghton Mifflin Company unless such copying is expressly permitted by federal copyright law. Address inquiries to Reference Permissions, Houghton Mifflin Company, 222 Berkeley Street, Boston MA 02116.

0-395-67161-2 (UPC)

Library of Congress Cataloging-in-Publication Data
The American heritage college dictionary. —3rd ed.

p. cm.
ISBN 0-395-66917-0 (plain edge). —ISBN 0-395-44638-4
(thumb edge). —ISBN 0-395-66918-9 (deluxe binding).
1. English language—Dictionaries.
2. Americanisms.
PE1628.A6227 1993
423—dc20 92-42124
CIP

Manufactured in the United States of America

For information about this and other Houghton Mifflin trade and reference books and multimedia products, visit The Bookstore at Houghton Mifflin on the World Wide Web at http://www.hmco.com/trade/.

flan (flan, flan, flan) n. 1. A tart filled with custard, fruit, or cheese. Z. A custard topped with caramel syrup. 3. A metal disk to be stamped as a coin; a blank. [Fr. < OFr. flaon < LLat. fladō, fladōn-, flat cake, of Gmc. orig. See plat-\*.]

Flan-a-gan (flan's-gan), Edward Joseph. 1886 – 1948. Amer. priest who founded Boys Town (1917), a community for underprivileged children.

derprivileged children.

Flan ders (flan derz). A historical region of NW Europe in cluding parts of N France, W Belgium, and SW Netherlands

along the North Sea.

flå•ne•rle (flän-rē\*, flä'nə-rē\*) n. Aimless idling; dawdling.

[Fr. < flåner, to idle about, stroll. See flåner.] flå•neur (flä-nûr) n. An aimless idler; a loafer. [Fr. < flåner,

tia\*neur (na-nur') n. An aimiess idier; a loater. [Fr. < [laner, to idle about, stroll, of Gmc. orig. See pele-2\*.] flange (flănj) n. A protruding rim, edge, rib, or collar, as on a pipe shaft, used to strengthen an object, hold it in place, or attach it to another object. [Poss. var. of flanch, device at the side of an escutcheon, perh. < Fr. flanche, fem. of flanc, side.

See Flank.] — flange v.

flank (flångk) n. 1. The part of the body of a person or an animal between the last rib and the hip; the side. 2. A cut of meat from the flank of an animal. 3. A lateral part or side. 4.a. The right or left side of a military formation. b. The right or left side of a bastion. - tr.v. flanked, flank•lng, flanks. 1. To protect or guard the flank of. 2. To menace or attack the flank of. 3. To be placed or situated at the flank or side of. 4. To put (something) on each side of. [ME < OE flanc < OFr. flanc, of Gmc. orig.]

flan•ken (flang'ksn) n. 1. A cut of meat taken from the short ribs of beef. 2. A dish prepared from this cut of beef by boilrios of Deer. 2. A dish prepared with horseradish. [Yiddish < Ger., pl. of Flanke, flank, side < Fr. flanc. See Flank.]
flank•er (flang'kər) n. 1. One that flanks, esp. a soldier poflank•er (flang'kər) n. 1.

sitioned to protect the flank of a column of troops. 2. Football. A flankerback.

flankeer-back (flang'kər-bak') n. Football. An offensive half-ball er-triored into both a ball and flankerback.

back stationed just behind the line of scrimmage and slightly

wide of the formation, used chiefly as a pass receiver. flan nel (flan ol) n. 1. A soft woven cloth of wool or a blend of wool and cotton or synthetics. 2. flannels. a. Outer clothing, esp. trousers, made of this cloth. b. Underclothing made of this cloth. [ME, a woolen cloth or garment, perh. var. of flanyn, sackcloth, prob. < OFr. flaine, a coarse wool.] flannel cake n. See pancake.

flan nel ette (flăn' a-let') n. A soft cotton cloth with a nap. flannel leaf n. See mulleln.

Flan • ner (flăn / ər), Janet. Genêt. 1892 – 1978. Amer. journalist who was Paris correspondent for the New Yorker (1925-75). flap (flap) n. 1. A flat, usu. thin piece attached at one side. lap (tlāp) n. 1. A tlat, usu, thin piece attached at one side. 2. A projecting or hanging piece usu, intended to double over and protect or cover: the flap of an envelope. 3.a. The act of waving or fluttering. b. The sound produced by this motion. 4. A blow given with something flat; a slap. 5. A control surface on the trailing edge of an aircraft wing, used primarily to increase lift or drag. 6. Either of the folded ends of a book jacket that fit inside the front and back covers. 7. Medic. Partially detached tissue used in surgical grafting or in coverige of the surgical grafting or in coverige or in coverige or in coverige or in coverig Partially detached tissue used in surgical grafting or in covering the end of a bone after amputation. 8. Informal. A commotion or disturbance. -v. flapped, flap•ping, flaps. -tr. 1. To wave (the arms, for example) up and down. 2. To cause to move or sway with a fluttering or waving motion. 3. To hit with something broad and flat; slap. 4. Informal. To fling down; toss. - intr. 1. To move or sway while fixed at one edge or corner; flutter. 2. To wave arms or wings up and down. 3. To fly by beating the air with the wings. 4. Informal. To become upset or flustered. [ME flappe, slap.] flap-doo-dle also flap-doo-dle (flap/dood/l) n. Slang. Foolish

talk; nonsense. [?]
flap•Jack (flap'jak') n. See pancake. flap · pa · ble (flap / a-bal) adj. Informal. Easily excited or upset. flap•pa•ble (flăp/a-bəl) adj. Informal. Easily excited or upset. flap•per (flăp/ar) n. 1. A broad flexible part, such as a flipper.

2. A young woman, esp. one in the 1920's who showed disdain for convention. [Sense 2, British slang, very young female prostitute, flapper, poss. < flapper, fledgling partridge or duck (< FLAP) or < dial. flap, loose or flighty girl.] flare (flâr) v. flared, flar•lng, flares. — intr. 1. To flame up with a bright wavering light. 2. To burst into intense sudden flame. 3.a. To erupt or intensify suddenly: Tempers flared. b. To become suddenly angry. 4. To expand or open outward

flame. 3.a. To erupt or intensify suddenly: Tempers flared. b. To become suddenly angry. 4. To expand or open outward in shape: with nostrils flaring. - tr. 1. To cause to flame up. 2. To signal with a blaze of light. - n. 1. A brief wavering blaze of light. 2. A device that produces a bright light for signaling, illumination, or identification. 3. An outbreak, as of emotion or activity. 4. An expanding or opening outward. 5. An unwanted reflection within an optical system or the resultant fogging of the image. 6. A solar flare. 7. Football. A quick pass to a back running toward the sideline. 8. Medic. quick pass to a back running toward the sideline. 8. Medic. An area of redness on the skin surrounding the primary site

of infection or irritation. [?]

flare-back (flar'bak') n. 1. A flame produced in the breech of a gun by ignition of residual gases. 2. A burst of something aimed back at its origin; a backfire.


flake 1

flareback



flamenco

flamingo



flange

ă pat ā pay âr care ă father ĕ pet ē be ĭ plt ī ple îr pler ŏ toe ŏ paw	oi boy ou out oo took oo boot u cut ur urge th thin th this hw which zh vision a boot, item

Stress marks: (primary); ' (secondary), as in dictionary (dik'shə-nër'ë)

b. Dissension; opposition. [Ger. < Fl(ieg-

osm. v. Disscusion, opposition. [Ger. < Fl(ieg-inone), aircraft-defense gun.]

11. A flat thin piece or layer; a chip. 2. A small 33: A small crystalline bit of snow. 4. Slang. A small contric person; an oddball. 5. Slang. Cocaine. contric person; an oddball. 5. Slang. Cocaine. flak-ing, flakes. — tr. 1. To break flat, this from; chip. 2. To cover, mark, or overlay with flakes. — intr. To come off in flat thin pieces or operasal verb. flake out. Slang 1. To fall flakes. — intr. 10 come oft in flat thin pieces or foll. — phrasal verb. flake out. Slang. 1. To fall flipse from fatigue or exhaustion. 2. To act in an intric manner. [ME. See plāk-1\*.] — flak'er n. [A frame or platform for drying fish or produce. ON fleki, hurdle, battle shield. See plāk-1\*.]

ON flekt, flutdic, oddr. ovest.

grokes. [Prob. of imit. orig.]

growing the state of the state of

be, flame. See FLAME.]

Littfilm bo') n., pl. -beaux (-bōz') or -beaus. 1. A A large ornamental candlestick. [Fr. < OFr.

Mame. See FLAME.]

The state (flam-boi ont) adj. 1. Highly elaborate; ornate.

Colored; resplendent. 3. Archit. Of or having the stand flamelike forms of 15th- and 16th-century of the architecture. 4. Marked by striking audacity or the strategies of the standard of the strategies o Comic architecture. •• Marked by Striking audacity or Uchen to ostentatious display; showy. See Syns at Light See royal poinciana. [Fr. < OFr., pr.part. of coblaze < flambe, flame. See FLAME.] — flameboy' an ey n. — flameboy' antely adv.

The hot glowing mixture of burning gases respended matter associated with rapid combustion. To burn brightly; blaze, 2. To color or - intr. 1. To burn brightly; blaze. 2. To color or mir. 1. To burn, ignite, or scorch (something).

- tr. 1. To burn, ignite, or scorch (something). Communication of the second se

who no no notice that the excretory system of certain the including flatworms and rotifers, containing cilcod waste products into excretory tubules.

The man n., pl. flamens or flamelenes (flam/a-driet, esp. of an ancient Roman deity. [ME flamin]

co (the-meng' k\vec{0}) n., pl. -cos. 1.a. A dance style of the im Cypsies characterized by forceful, often impromises. b. A dance in this style. Z. The guitar music moompanies a flamenco. [Sp., Flemish < MDu. leming.]

the flame of a jet aircraft engine due to so of the flame in the combustion chamber.

[flam' out') n. Failure of a jet aircraft engine due to so of the flame in the combustion chamber.

[flam' pro\vec{0}f') adj. Resistant to catching fire;

[thin to tr.v. - proofed. -proof-lng. -proofs. To proof. - flame' proof' er n.

[thin to the flame' ri-tar' dnt) adj. Resistant to catching

adeant (flam ri-tar dnt) adj. Resistant to catching

(ma'-re-tard'ant n.

""er (flām' thrō'ər) n. A weapon that projects igdiry fuel, such as napalm, in a steady stream.

"Id'ming) adj. 1. On fire; ablaze. 2. Resembling a
dirnse; ardent. 4. Informal. Used as an intensive: a idtic. - flam' ing ly adv.

atic. — flam' ing 'ly adv.

(fla-ming' gō) n., pl. -gos or -goes. 1. Any of sevtropical wading birds of the family Phoenicotropical wading red birds of the family Phoenicotropical wading birds of the family Phoenicotropical

ble n.

Mote: Historically, flammable and inflammable me thing. However, the presence of the prefix inminary people into assuming that inflammable flammable or "noncombustible." Use flammable flammable warnings or on product labels.

On (10-mar'e-on'), Camille. 1842-1925. French of (10-mar'e-on'), Astronomical Society

who founded the French Astronomical Society

adj. -1 er. -1 est. Resembling a flame; flaming.

:ompo A builetproof jacket or vest.

A builetproof jacket or vest.

A fake g (flå ke) adj. -l. er. -l. est. 1. Made of or flakes. 2. Forming or tending to form flakes or flak! -l. a. Slang. Somewhat eccentions flak! - fl a). 1. 🚹 tension notice ali (lu finger

veaken ing by rized by flägitin emand

ellum,

1960.

0

(i). (i).

hin, t. flee

iess n. ... ith or co... lence. A... red for ernment oast guar dmiral. ite flag a handle ther lique OFr. flag

ich a flag ote. Slave e respone ly bad, of justice lazing. See bhe adv. tô) adu licto, while

rs, blazing irries a fee der's flag. a newsp n Marie La formance

al AZ NE 894). Pop ns of a go ab of stock sedimenta ve or fansi

Joseph. maker who consisting inging stick . n. 1. wave or their attended to their attended to their attended to the their attended to the their attended to thei

it artillery.